

Fly About

Northam Aero club (Inc.) Newsletter

Vol. 54 Issue No.6 JUNE 2023



In This Issue

- ◆ A Message from the President
- ◆ Club Captain's Report
- ◆ The Circuit
- ◆ AGM Notice
- ◆ Hire Fees

Presidents Message

Welcome to the June issue of our Fly About.

It is that time of year again with Elections for Committee Members of the Northam Aero Club. If you are interested please ensure you put your name forward and discuss with present Committee Members to find out how you can get involved. Our Annual General Meeting will be held on Saturday 12th August 2023 at 7.30pm at the Club Rooms, Withers Street, Northam.

Even though the weather has not been conducive to flying I managed to get down to YMUL Fly in on Saturday 3rd June. It was a fantastic day with many interesting aircraft on display. I was very interested in the Alpha Electro aircraft set up. I have included photos of this aircraft. It has an endurance of 60 minutes flight time, 190kg payload and a V.N.E. 135 KIAS. When you think about it as they very keenly explain there is no runup required. No carby heat needed either.

I would like to welcome new members Graham Dey and Chrissy Broadchent to the club.

We do appreciate your membership and would like to invite you down to our Aero Club on Saturday nights from 1700 to 1900 hours for a few drinks

Once again, I would like to thank all the sponsors and volunteers that help make the National Ballooning Championships such a success. It will happen again the first week of September with the World Women's Championships.

Every 2nd Sunday is our club flying competitions so if you want to call in around 0900 hours you will be able to compete or get a fly as has been happening lately.

Unless you are flying the Alpha Electro remember with this cold weather make sure you use the carby heat.

Cheers,

Errol

Club Captains Report

Captain's Report for Sunday 11th June 2023

Competition; consisted of a nine minute Navex from Northam to Northam via Seabrook railway station and Northam Army Base followed by a strip inspection and a flapless landing. The longer Navex planned was shortened to keep the participants close into Northam due to weather concerns which didn't eventuate.

Was good to see Ashley Smith back competing and he would have got the perfect score if he listened to Kate's prompting that the water pipe crossed the river 1nm short of the Army Base on track.

Errol Croft and Peter Hill took James and Ben who are keen on flying as spotters for their experience.

No pilots overshot the important finals turn, the radio calls, and cross wind landings were excellent.

Result 14th May;

1 st place	with 99 points	- Ashley Smith	PGL C172
2 nd place	with 91 points	- Peter Hill	BFC C152
3 rd place	with 81 points	- Errol Croft	JXI C172

Next Competition; Sunday 9th July 2023.

8.30 Coffee and muffins and perhaps jam and cream scones.
Briefing 9.00.

Dave McFarlane

0428 743031

Club Captains Report



Ashley showing us how to do a great flapless landing in PGL

The Circuit by K. Lathbury

The circuit

Everyone's learnt them, everyone did one or more on their first solo, and everyone has different ideas about what makes a good one. Here are some tips for making a circuit as good and consistent, and as easy as possible. It's based on rectangular circuits. Racetrack-shaped circuits work better than rectangular circuits in higher-performance aircraft, so if that's what you fly, some of this article doesn't apply to you.

Upwind

Tracking straight after takeoff is vital at Jandakot, where you have parallel runways and the chance of infringing on another pilot's personal space if you don't maintain the centreline, but it's pretty useful anywhere. If you get airborne and you can still see some runway under the nose, you can glean a good idea of how much drift you need to allow for, and adjust before the runway disappears under you. After that, if you can see the ground ahead or you have a cloud you can aim at to stay straight, use it. Otherwise, if your climb attitude means you only have sky out the front, pick a reference point out to your side. For aeroplanes that need right rudder to stay straight in the climb, you'll know if you're not standing on the pedal hard enough because that reference point will disappear under the nose.

We teach FOL checks at 300 ft AGL – Flaps, Oil, Look back. Flaps may be useful for takeoff, but they're a hindrance to your climb, so you want to get them up as soon as practical. But within 300 ft of the ground you've got better things to do than to be reaching around in the cockpit for a flap lever, hence 300 ft. Check oil Ts and Ps, and look back if possible to check you're on centreline. This may be impossible due to not having a back window, or maybe due to the stiffness and inflexibility of your ageing body!

CASR 91.390 says you must maintain your takeoff track until at least 500 ft AGL. There's nothing stopping you from going a bit further before you turn crosswind. One reason you may choose to do that is so that you reach circuit height before you get to downwind, meaning you won't be trying to level off and turn at the same time.

Continued

The Circuit cont'd

Crosswind

As with every leg, pick a reference point before you turn, which will make your circuit rectangular. Many of my debriefs on circuits over the years have included a refresher on the difference between a rectangle and a trapezoid.

15° is a good angle of bank for a climbing turn, as it stops your climb performance from completely going out the window. I typically tell students “no more than 20°.” The other thing I often see that hurts climb performance is not maintaining the right speed. If you climb at 75 kt in PGL you'll probably get to circuit height on crosswind. If you don't set the right attitude and trim, and you climb at 80 or 85 kt, you'll almost certainly still be climbing when you get to downwind. The result is you may be so busy levelling off that you forget to turn when you should, and you end up with a cross-country circuit.

Your spacing for turning downwind is best judged by some point on the aeroplane. You don't turn when you get to circuit height; you turn when you get the right spacing from the runway.

Also, you can't rely on a 45° (or some other) angle to the runway, because the distance you go upwind before turning can vary depending on factors such as your weight and the temperature. In a 172, the runway level with the leading edge of the tail is a good reference, and that works regardless of how far you've gone upwind before turning crosswind, and it works just as well on a midfield crosswind join. In an aeroplane where you can't see the tail, the wing is probably the only reference you can use. For instance, in Trevor Pipe's V-tail Bonanza, a good time to turn downwind is when the runway is one chord behind the trailing edge of the wing.

Continued

The Circuit cont'd

Downwind

Once you're on downwind, fly the aeroplane before you worry about radio calls and checks. Check you're flying level and check your spacing, using a suitable reference point on the aeroplane. For a 172, it's about 2/3 of the way up the strut in a left circuit, and halfway up the strut in a right circuit. In a low-wing aeroplane there might be a fuel cap or a vortex generator that makes a good reference mark. To check you're tracking parallel to the runway, make sure the runway is staying at that same reference point on the wing or strut.

Once you're set up, make a call. It's requirement at Jandakot, and it's the best place to make your first call in a circuit. If you're mid- or late downwind by the time you get to the call, say that, as it gives everyone else a good idea of where to look for you.

Do your pre-landing checks after that. Don't think of them as downwind checks, because then you'll forget them one day when you're doing a straight-in approach or joining base as directed by Jandakot Tower. For someone like Damian O'Driscoll in his C182RG, that could mean a catastrophically short landing roll. (But of course you'd also have to ignore the noise when you reduce power below a certain setting, reminding you loud and clear that you've forgotten something important. That would be a go-round.)

Base

Unlike your downwind turn, 45° does work as a reference point for turning base. It means your base and final will be the same length, which makes sense since you're planning to lose 500 ft on each of them.

The quicker you get the aeroplane configured on base, the easier it is to control your approach. There's no hard and fast rule about what power setting to use, but we teach 1500 RPM in PGL. That's low enough to allow you to slow down, get the speed in the white arc and use flaps. If students don't slow down quickly enough on base it's usually due to not reducing power enough, and not keeping the nose up.

Continued

The Circuit cont'd

Base cont'd

One of my mantras that students hear plenty of is “Lose speed not height” on early base.

The earlier you get set up, the earlier you start looking at the runway and judging your profile. The profile you're aiming for obviously depends on what you're flying, but you may need to vary that to conform with other aircraft in the circuit. The ideal profile for Dave Kerr's CT-4, with glide ratio marginally better than a crowbar, is quite different from the ideal profile for PGL, with glide ratio only slightly worse than a Blanik, with Dave Mac's Warrior being somewhere in between.

There's usually no need to make a call on base – a downwind and a finals call is plenty – but you may do it if there's traffic and everyone's keen to know where everyone else is.

To avoid a slow creeping turn onto final, visually extend the runway centreline and start your turn with about 20° of bank to roll out over your selected point on that extended centreline. If you start with 20° of bank, and you find you've misjudged and started a bit late, or a tailwind is getting hold of you and pushing you through the turn, you've got some latitude to tighten it up without turning it into a steep turn.

Final

The ideal spot for the aim point in your windscreen depends on your aeroplane and your eye height. Once you've got that right, you're better off using power to control the speed, especially if you get windshear which, as we all know, is far from uncommon at Northam. If you've got the speed right as you cross the threshold, you know you can afford to stop looking at it and look up the runway.

I often see students not recognising that they're off centreline on final. The most likely cause is looking at just the aim point, rather than looking along the runway. If you're tracking properly, the runway centreline won't be moving in your vision.

A call turning final is a good idea, especially if there's someone at the holding point or on the runway having just landed.

As for the landing, which is a subject for an article of its own – you can make a bad landing from a good circuit, as you no doubt did a few times in your early training, but if you make a good landing from a bad circuit you should go and buy a lottery ticket!

Kevin

Photos of Alpha Electro



Alpha Electro on display at Murrayfield June 3, 2023

Per Hour Energy Cost: \$6.00

Endurance: up to 60 min + 30 min. reserve

Range: 6+ circuits built for ab into flight training.

Speed: (75% power) 85KIAS

Weight: 385 kg

Fly-in to Murrayfield



Around the Club



Our friends at the Department of Fire Emergency Services have left us for the season and we received a letter of gratitude for the amenities provided by the Northam Aero Club. We welcome their return and the support they provide to our community next summer.

ANNUAL GENERAL MEETING

Notice is hereby given to the Members

Annual General Meeting

NORTHAM AERO CLUB

Saturday 12th August 2023

NAC Club Rooms

7.30pm

AGENDA ITEMS

Election of Office Bearers

The names of the candidates proposed as Officers of the Club with the names of their proposers and seconders shall be in the hands of the Secretary 21 days before the date of the Annual Meeting (22nd July 2023). The names shall be posted in the Club for 14 days before the Annual General Meeting

(Please bring a small plate of food for fellowship at the conclusion of the meeting)

Nomination Form for Northam Aero Club

Nomination is hereby made for the position of:

*President *Vice President *Secretary *Treasurer

*3 x Committee Persons (2 year)

Nominee _____

Signature _____

Position _____

Proposer: _____

Secunder: _____

***Nominations accepted up to Saturday**

22/07/2023

(PO Box 247 Northam WA 6401)

NAC Cessna 172—VH-PGL

Hire Fee Structure

Private Hire - \$260 per hour

Dual Training - \$410 per hour

TIF's - \$205 per 1/2 hour

Briefing - as required

Instructor (in owner's aircraft) - \$150 per hour

Pre-paid Discounted Block Rates Available

- *5 hours - less 5%*
- *10 hours - less 10%*
- *20 hours - less 15%*

Student pilots may use the discounted block rate for aircraft hire only

Instructor fees have increased due to CASA regulations

For all further enquiries please contact:

NAC Treasurer - nactreasurer@bigpond.com T: 0417 170 840

Aircraft Bookings: Matt Bignell - 0407 873 700

Next Club Competiton

Next Competition 09:00, Sunday 09th July 2023

Cheers, Dave McFarlane

Club Captain 0428 743 031

**President**

Errol Croft

E: dowref@bigpond.net.au

T: 0428 880 149

Aircraft Bookings Officer

Matt Bignell

E: big.matty@hotmail.com

T: 0407 873 700

Secretary

Susan Clements

E: info@northamaeroclub.com

T: 0488 441 274

Treasurer

Rachel Buck

E: nactreasurer@bigpond.com

T: 0417 170 840

Club Captain

Dave McFarlane

E: mcf888@bigpond.com

T: 0428 743 031

House & Grounds

Trevor Sangston

E: trevorsangston@iinet.net.au

T: 0417 183 160

Aircraft

Dave Beech

E: dbeech@iinet.net.au

T: 0438 016 903

Flight Training

Kevin Lathbury

E: Kevinlouise62@gmail.com

T: 0434 000 217

Flight Training

Ray Challen

E: ray@challen.com.au

T: 0408 321 262

Membership Officer

Heather Deegan

E: heatther1957@gmail.com

T: 0428 738 808

THE NORTHAM AERO CLUB (Inc.)
PO Box 247 NORTHAM

TO: ALL MEMBERS

As this is the last issue to be mailed out by post

**We advise you to either download online from
Northamaeroclub.com or advise email address**

“FLY ABOUT”

